

LETTERATURA MEDICO/SCIENTIFICA SUL RAPPORTO TRA USO DI SOSTANZE DOPANTI E GRAVI MALATTIE EPATICHE

- "THE 2007 PROHIBITED LIST INTERNATIONAL STANDARD". The World Anti-Doping Code. World Anti-Doping Agency. Archived from the original on 10 April 2009. Retrieved 2009-05-14.
- Catlin DH, Leder BZ, Ahrens B, Starcevic B, Hatton CK, Green GA, Finkelstein JS (2000). "Trace contamination of over-the-counter androstenedione and positive urine test results for a nandrolone metabolite". *JAMA* 284 (20): 261821. doi:10.1001/jama.284.20.2618. PMID 11086369. Retrieved 29 December 2008.
- Le Bizec B, Monteau F, Gaudin I, André F (February 1999). "Evidence for the presence of endogenous 19-norandrosterone in human urine". *J. Chromatogr. B Biomed. Sci. Appl.* 723 (12): 15772. doi:10.1016/S0378-4347(98)00541-6. PMID 10080643.
- Schmitt N, Flament MM, Goubault C, Legros P, Grenier-Loustalot MF, Denjean A (September 2002). "Nandrolone excretion is not increased by exhaustive exercise in trained athletes". *Med Sci Sports Exerc* 34 (9): 14369. doi: 10.1097/00005768-200209000-00006. PMID 12218735. Retrieved 29 December 2008.
- Ayotte C (July 2006). "Significance of 19norandrosterone in athletes' urine samples". *Br J Sports Med.* 40 Suppl 1 (Suppl 1): i259. doi:10.1136/bjsm.2006.028027. PMC 2657496. PMID 16799098.
- Le Bizec B, Gaudin I, Monteau F, Andre F, Impens S, De Wasch K, De Brabander H (2000). "Consequence of boar edible tissue consumption on urinary profiles of nandrolone metabolites. I. Mass spectrometric detection and quantification of 19-norandrosterone and 19-noretiocholanolone in human urine". *Rapid Commun. Mass Spectrom.* 14 (12): 105865. doi: 10.1002/1097-0231(20000630)14:12<1058::AID-RCM991>3.0.CO;2-7. PMID 10861987.